

WHO Advisory Committee *on* Variola Virus Research

Report of the Fourth Meeting

GENEVA, SWITZERLAND
20–21 NOVEMBER 2002



WORLD HEALTH ORGANIZATION
DEPARTMENT OF COMMUNICABLE DISEASE
SURVEILLANCE AND RESPONSE

WHO Advisory Committee *on* Variola Virus Research

Report of the Fourth Meeting

GENEVA, SWITZERLAND
20–21 NOVEMBER 2002



WORLD HEALTH ORGANIZATION
DEPARTMENT OF COMMUNICABLE DISEASE
SURVEILLANCE AND RESPONSE

© World Health Organization 2003

This document is not a formal publication of the World Health Organization (WHO), and all rights are reserved by the Organization. The document may, however, be freely reviewed, abstracted, reproduced and translated, in part or in whole, but not for sale or for use in conjunction with commercial purposes.

The views expressed in documents by named authors are solely the responsibility of those authors.

The designations employed and the presentation of the material in this document, including tables and maps, do not imply the expression of any opinion whatsoever on the part of the secretariat of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

Contents

Summary	1
1. Introduction	2
2. Update on <i>Variola virus</i> strains held in the two repositories	2
3. Sequence analysis of <i>Variola virus</i> DNA.....	3
4. Current status of PCR and extended PCR/RFLP analysis of orthopoxvirus DNA.....	3
5. Progress in the development of PCR-based diagnostic assays.....	4
6. Progress in the development of serological assays	4
7. Update on animal model developments	5
8. Review of antiviral candidate drugs.....	5
9. General discussion.....	6
Annex 1: Agenda.....	7
Annex 2: List of participants	9

Summary

The WHO Advisory Committee on Variola Virus Research reviewed progress of research involving live *Variola virus*. Considerable progress has been made during the past year but it is clear that further high priority research is still necessary. Significant advances have been made in the characterization of the *Variola virus* strains held in each repository and in the methodologies associated with virus detection and smallpox diagnosis. Work on the further refinement of the non-human primate model of smallpox is proceeding. This model is being used to assess existing antiviral compounds and there is a drug discovery programme underway. The Committee made the following recommendations:

- Inventory systems across both repositories should be standardized and improved. These inventories should be shared between the two repositories and the information reported in both hard copy and electronic formats to WHO at least once each year (paragraph 2.3).
- Records on material used for work in progress should be available for inspection and audit. The volumes of live virus suspensions generated as a result of this work should be kept to the minimum needed to successfully complete the agreed studies (paragraph 2.3).
- Where possible, information on the origin, biological properties, passage history and other characteristics of the material held in each repository should be included as part of the inventory. WHO agreed to seek information from archival records about the derivation of some of the isolates held in each collection (paragraph 2.4).
- Isolates for which there is no scientific justification for retention (particularly the chimeric and non-variola viruses held in the Centers for Disease Control and Prevention (CDC) repository) should be destroyed after informing the original donating countries of this intention (paragraph 2.4).
- Further consideration should be given to sequence analyses on additional material derived from authenticated clinical material without prior cloning (paragraph 3.3).
- Further work should be done to refine the primate model of human smallpox to facilitate its better use in assessments of candidate vaccines and antiviral agents (paragraph 7.3).
- A technical panel, containing relevant safety experts, should be convened to consider and revise the existing guidelines on the simultaneous handling of different orthopoxvirus strains with *Variola virus* (paragraph 2.5).
- This technical panel should also be charged with developing appropriate guidance on the supply of cloned DNA fragments, taking into account advances that have been made in oligonucleotide synthesis, and the possibility to modify DNA fragments of other orthopoxviruses by site-directed mutagenesis to produce the corresponding *Variola virus* gene sequence (paragraphs 5.4 and 9.4).
- Laboratories conducting approved research should produce written annual progress reports that can be disseminated to the wider scientific community in due course. Wherever possible, this research should be published in the open peer-reviewed literature (paragraph 9.5).

1. Introduction

1.1 Dr David Heymann, Executive Director, WHO Programme on Communicable Diseases welcomed participants to the meeting and asked the Committee to review progress on research using live *Variola virus* that has been conducted since its last meeting. He reminded Committee members that they had been charged with determining what research, if any, must be carried out in order to reach global consensus on the timing for the destruction of existing *Variola virus* stocks and advise WHO accordingly.

1.2 Dr Peter Greenaway was appointed Chairman and Dr Robert Drillien was appointed Rapporteur. The meeting agenda is given in Annex 1 and the meeting participants are listed in Annex 2. The meeting heard presentations from scientists from the United States of America, the United Kingdom of Great Britain and Northern Ireland and the Russian Federation who were directly involved in WHO approved research that required access to stocks of live variola viruses.

2. Update on *Variola virus* strains held in the two repositories

2.1 The VECTOR laboratory in Koltsovo, Russian Federation, reminded the Committee that their collection contains 120 samples of *Variola virus* either as passaged virus or as primary clinical specimens from various geographic areas. Some 55 isolates have been selected for further analysis. This has involved viability studies in tissue cultures or chick embryos, biological characterization and genome analysis. Of the 39 isolates studied so far only 29 were shown to be viable. DNA has been isolated from the two non-viable isolates.

2.2 The CDC laboratory in Atlanta reported progress on their analysis of a collection containing 451 isolates. It was noted that a number of these isolates are not *Variola virus* but rather *Monkeypox virus*, *Camelpox virus* or recombinants between *Variola virus* and other orthopoxviruses. The geographic origin and year of isolation are known for some 229 isolates. Forty-six out of the 50 isolates selected for further study on the basis of year of isolation, region of isolation, passage history and clinical information available were subsequently shown to be viable.

2.3 During these talks it became clear that systems were needed for the better audit of isolates contained within both repositories. It was therefore recommended that inventory systems across both repositories should be standardized and improved, that these inventories should be shared with each other and reported in both hard copy and electronic formats to WHO at least once each year. It was further recommended that records on material used for work in progress should be available for inspection and audit. Some members of the Committee expressed their concerns about the volumes of live virus suspensions being generated as a result of this work. It was agreed that these volumes should be kept to the minimum needed to successfully complete the agreed studies being conducted within the framework of the Committee's recommendations.

2.4 It was recommended that, where possible, information on the origin, biological properties, passage history and other characteristics of the material held in each repository should be included as part of the inventory. WHO agreed to seek information from archival records about the derivation of some of the isolates held in each collection and then make this information available to both CDC and VECTOR. It was also recommended that isolates for which there was no scientific justification for retention (particularly the chimeric and

non-variola viruses held in the CDC repository) should be destroyed after informing the original donating countries of this intention.

2.5 Finally, the question was raised whether work involving other orthopoxviruses should be conducted simultaneously with *Variola virus* strains in the same laboratory. The Global Commission for the Certification of Smallpox Eradication recommended in 1979 that this should not occur. The Committee agreed that this recommendation should be revisited given that the requirements for handling live *Variola virus* have now changed. It recommended that a technical panel, containing relevant safety experts, should be convened to consider the implications and to develop revised guidance.

3. Sequence analysis of *Variola virus* DNA

3.1 The results of DNA sequence analyses on various *Variola virus* strains were reviewed. A total of 10 full-length genomic sequences are now available. Detailed information on the heterogeneity of the *Variola virus* genome sequences analysed so far was presented and the sequence variation of the isolates was described and discussed. CDC plans to sequence at least three more complete genomes. Work at VECTOR has been more focused on obtaining data on a limited number of variable genes from a large number of isolates.

3.2 Sequencing of the genome and of individual genes and analyses of restriction fragment length polymorphisms, have enabled the establishment of phylogenetic relationships of various isolates and further understanding of the extent of the genomic diversity represented by the collections of *Variola virus* specimens in the two repositories. During these analyses it became evident that different case fatality rates in smallpox outbreaks do not correlate with particular sequence characteristics of virus isolates, which is in agreement with historical data showing that the percentage of fatal smallpox in an unvaccinated population was due to host-related factors. It was also noted that nucleotide sequence analyses have potential use in forensic testing for identifying strains and their origins in the case of a deliberate release of *Variola virus*.

3.3 The results obtained so far with single genes show no sequence variation between material from primary scab isolates or after two passages of the same samples. The Committee recommended that further consideration should be given to sequence analyses on additional material derived from authenticated clinical material and without prior cloning.

3.4 The creation of a validated and certified library of cloned *Variola virus* DNA fragments representing the virtually complete genome of two *Variola virus* strains was described and similar work using five additional strains is planned. The Committee acknowledged that this would provide material for the long-term preservation of *Variola virus* genomes but questioned whether the procedure would provide as authentic a representation of a strain as would PCR amplification of viral DNA fragments.

4 Current status of PCR and extended PCR/RFLP analysis of orthopoxvirus DNA

4.1 PCR and extended PCR-RFLP analyses on 24 cell culture isolates and 8 scab samples is in progress at VECTOR with a view to use these procedures to characterize different strains or isolates with respect to gene-dependent microheterogeneities. A number of dendograms have been constructed and this has revealed surprising variations between isolates from the same outbreak.

4.2 Similar work has been done at CDC using a capillary electrophoresis RFLP method as an alternative to gel electrophoresis techniques. This has proved to be a very sensitive method, which detects more polymorphisms than other technologies and which can be readily automated. Despite these impressive advances, it was thought that the pace of progress in DNA sequencing could circumvent the usefulness of this technology in the future.

5. Progress in the development of PCR-based diagnostic assays

5.1 A number of variations of the PCR technique have been developed to specifically detect *Variola virus* in samples containing minute amounts of DNA. The CDC and USAMRIID have begun to develop real-time PCR assays. These are based on TaqMAN chemistry and target several genomic regions. One procedure, using a two step assay, can differentiate *Variola virus* from other orthopoxviruses that infect humans. This procedure has undergone an extensive evaluation using a large nucleic acid panel derived from *Variola virus*, other orthopoxviruses and infectious agents that cause rashes resembling smallpox.

5.2 The technology is considered sensitive enough to detect as few as 50 copies of the *Variola virus* genome in specimens obtained during the prodromal period of infection. It may also be adaptable for use in the analysis of *Monkeypox virus* infections. The use of such procedures for routine sample screening has, however, shown some infidelity (approximately 1%) which may be mitigated by using additional gene targets and complementary screening methodologies.

5.3 VECTOR described the development of a multiplex PCR system capable of species-specific differentiation of orthopoxviruses. Complementary work on the development of an ARMS assay at DSTL in the United Kingdom was also discussed. It was noted that the inclusion of mismatch primers in the ARMS assay has proved to be useful for enhancing species specific detection.

5.4 The Committee encouraged all laboratories involved in this work to share the new PCR-based detection methods with the international community as soon as possible. It was recognized that the validation of these techniques outside of CDC and VECTOR could present problems due to the lack of availability of short pieces of cloned *Variola virus* DNA fragments. This may require a reconsideration of the current guidelines covering the general supply of this material. The Committee recommended that the proposed technical panel (paragraph 2.5) should be charged with developing appropriate guidance, taking into account advances that have been made in the technologies associated with nucleotide synthesis.

6. Progress in the development of serological assays

6.1 Several methods for the detection of *Variola virus* antigens were described. So far, polyclonal antibody capture assays for the detection of *Variola virus* have shown limited sensitivity and are not species-specific. Difficulties in the production of *Variola virus*-specific monoclonal antibodies have so far prevented developing a satisfactory way around this problem. Inconsistencies in the detection of all *Variola virus* isolates available were experienced when genus-specific monoclonal antibodies were used.

6.2 The Committee considered it unlikely that such serological assays would ultimately reach the sensitivity displayed by PCR methods. The utility of this technology, particularly for the early diagnosis of a *Variola virus* infection, is therefore likely to be limited. Nevertheless, it was felt that a number of useful reagents were likely to be developed.

7. Update on animal model developments

7.1 The current status of the cynomolgus monkey model for *Variola virus* infection was described. Recent experiments have demonstrated the ability of variola strains India and Harper to lethally infect monkeys at doses of 10^9 PFU/animal after intravenous inoculation. Doses of 10^8 PFU/animal were found to be lethal for only a fraction of the animals and they resulted in a slightly delayed onset of symptoms that may be more appropriate for testing of vaccines or drugs.

7.2 The use of high titer infectious doses in this model results in the bypassing of the normal prodromal stage in infected animals and direct onset of the viraemic stage. Infected animals invariably die of a disease that resembles haemorrhagic smallpox. An extensive characterization of the biological parameters associated with this animal model was reported.

7.3 The developed model was not considered ideal due to the high doses needed to achieve disease and the lack of general morbidity with consequent recovery. The Committee recommended that further work should be done to refine the model to facilitate its better deployment in assessments of candidate vaccines and antiviral agents.

8. Review of antiviral candidate drugs

8.1 Considerable effort is underway to identify new compounds active against *Variola virus* both in public institutions and private companies. VECTOR described the screening of 2432 compounds for *Variola virus* inhibitory activity. Six new compounds have been identified which will now be tested in animal models. Similar drug discovery research is also under way in both the United Kingdom of Great Britain and Northern Ireland and the United States of America where a total of some 40 lead compounds with promising properties have been identified.

8.2 Further research at USAMRIID on cidofovir was described. In the current primate model this drug protected monkeys when given 24 hours before infection but failed to protect when administered 12 hours post infection. These results may be explained by the severity of the challenge infection. Data from mouse experiments using *Cowpox virus* and *Vaccinia virus* indicate that the effectiveness of cidofovir is highly dependent on the dose of challenge virus and that post-infection protection could be conferred only when low doses were used to initiate infection.

8.3 The Committee recognized that cidofovir was not the drug of choice because of its route of administration and nephrotoxicity. It therefore welcomed the results obtained on three pro-drug derivatives of cidofovir that can be orally administered. These have been shown to be less toxic than cidofovir and greater plasma concentrations can be achieved. The drugs are effective in animals (mice) infected with cowpox. It will be another 6 months before these drugs can be tested in the non-human primate model of smallpox.

9. General discussion

9.1 Four vaccine development programmes were referred to during the general discussion following these scientific reports. First, the United Kingdom reported on work aimed at developing second generation subunit vaccines; this was still at the stage of identifying suitable protective antigens. Second, both the United Kingdom and the United States reported some work on assessing modified Vaccinia virus Ankara (MVA) as a candidate live attenuated vaccine. Third, the United States has some ongoing work on the development of DNA vaccines using coding sequences of four antigens; this work is still at an early stage. Finally, the Russian Federation is experimenting with multivalent vaccines based on attenuated *Vaccinia virus* vectors.

The Russian delegation also disseminated among the Committee members a Program of Research and Development of Countermeasures to Protect the Russian Federation Population from Attacks Involving Deliberate Use of Variola Virus (2003-2007) and called for collaboration with scientists and agencies from WHO member countries.

9.2 There was then some discussion of research on the use of passive immunotherapy following the administration of live *Vaccinia virus* vaccines. It was recognized that there was no strong evidence for the beneficial use of vaccinia immune globulin (VIG). Nevertheless, there was some ongoing work on the humanization of mouse monoclonal antibodies that could be used for this purpose. In addition, the United States indicated that work on humanizing the immune system of cows was in progress with a view to using these transgenic animals to produce VIG.

9.3 A number of general safety issues were then discussed, some of which have been referred to earlier. These included the possibility of distributing short fragments of *Variola virus* DNA to validate PCR diagnostic procedures, site-directed mutagenesis of *Vaccinia virus* DNA to make it *Variola virus*-like, the insertion of foreign genes into *Variola virus* and the simultaneous use of *Variola virus* and other orthopoxviruses in high containment suites. All of these issues were precluded if strict interpretations of existing guidelines were applied.

9.4 The Committee recognized that these interpretations were now open to challenge because of the technological advances that have been made since the existing guidelines were first introduced. The Committee felt that it did not have the expertise or competence to offer advice to WHO on these matters at this stage. It was thought that the technical panel referred to previously should be urgently convened to consider these issues and develop appropriate guidance for WHO to disseminate.

9.5 Finally, the Committee was encouraged by the considerable progress being made in research dealing with *Variola virus* and it recommended that this effort should be continued. Laboratories conducting this approved research are requested to produce written annual progress reports that can be disseminated to the wider scientific community in due course. The Committee further recommended that all research be published in the open peer-reviewed literature.

Annex 1: Agenda

20 November 2002

- 9:00 – 9:15 Welcome, Purpose of Meeting
- 9:15 – 10:00 Update of variola virus strains in collection, results of viability studies
Presentation by Professor Sergei N. Shchelkunov and Dr Inger Damon
- 10:00 – 10:30 COFFEE BREAK
- 10:30 – 11:30 Sequence analysis of *Variola virus* DNA

Presentation by Dr J. Esposito and Professor Sergei N. Shchelkunov:
“Creation of collections of hybrid plasmids containing *Variola virus* DNA fragments”
- 11:30 – 12:30 Current status of PCR and extended PCR/RFLP analysis of orthopoxvirus DNA

Presentation by Professor Sergei N. Shchelkunov and Dr Inger Damon:
Capillary-electrophoresis RFLP (CRFLP): “A new method for poxvirus fingerprinting”
- 12:30 – 14:00 LUNCH
- 14:00 – 15:15 Progress in development of PCR-based diagnostic assays

Presentation by Dr Inger Damon: “Updates on diagnostic development and use”

Presentation by Dr Peter B. Jahrling: “Design and validation of two variola virus TaqMan Assays”

Presentation by Professor Sergei N. Shchelkunov and Dr David Ulaeto:
“Development of multiplex PCR analysis for species-specific differentiation of orthopoxviruses”
- 15:15 – 15:30 Progress in development of serological assays

Presentation by Dr David Ulaeto
- 15:30 – 16:00 COFFEE BREAK
- 16:00 – 17:00 Update of animal model developments

Presentation by Dr Peter B. Jahrling: “Lethal infection of primates as a model for human smallpox”

21 November 2002

8:30 – 10:00 Review of antiviral candidate drugs

Presentation by Dr Evgeny Belanov: “Search for anti-virals active against orthopoxviruses pathogenic for humans”

Presentation by Dr John W. Huggins: “Therapy of smallpox: current status of cidofovir (Vistide) and progress on oral prodrugs”

10.00 – 10.30 COFFEE BREAK

10.30 – 11.00 Report from the Secretariat

11.00 – 12.00 General Discussion

12.00 – 13.30 LUNCH

13.30 – 15.00 General Discussion (cont.) and preparation of draft recommendations

15.00 – 15.30 COFFEE BREAK

15.30 – 17.00 Consensus on recommendations

Annex 2: List of participants

Advisory Committee

Dr Isao Arita*, Chairman, Agency for Cooperation in International Health, 4-11-1 Higashimachi, Kumamoto City, Kumamoto 862-0901, Japan Tel: 0081 96 367 8899 Fax: 00 81 96 367 9001 E-mail: info@acih.com

Dr Kalyan Banerjee, Secretary, Maharashtra Association for the Cultivation of Science, Agarkar Research Institute, Agarkar Road, Pune-411 004, India
Tel: 0091 20 565 2974 Fax: 0091 20 565 1542 E-mail: bnrjklyn@pn2.vsnl.net.in

Dr Robert Drillien, Directeur de Recherche à l'INSERM, Etablissement de Transfusion Sanguine de Strasbourg, EPI 99-08, 10 rue Spielmann, B.P. 36, Strasbourg Cedex 67065, France
Tel: 0033 3 88 21 2525 Fax: 0033 3 88 21 25 21
E-mail: robert.drillien@etss.u-strasbg.fr

Dr Mariano Esteban, Director, Centro Nacional de Biotecnología, Campus Universidad Autónoma, Cantoblanco, Madrid 28049, Spain
Tel: 0034 91 585 4503 Fax: 0034 91 585 4506 E-mail: mesteban@cnb.uam.es

Dr David H. Evans, Professor and Chair, Molecular Biology and Genetics, The University of Guelph, Guelph, Ontario N1G 2W1, Canada
Tel: 001 519 824 4120 ext: 2575/8919 Fax: 001 519 837 2075
E-mail: dhevans@uoguelph.ca

Dr Hans Gelderblom, Head of Division of Electron Microscopy and Imaging, Robert Koch Institut, Nordufer 20, Postfach 330013, D-13353 Berlin, Germany
Tel: 0049 30 4547 2379 Fax: 0049 30 4547 2334 E-mail: GelderblomH@rki.de

Dr Peter Greenaway, Assistant Director, Research and Development Division, Skipton House, 80 London Road, London SE1 6LH, United Kingdom
Tel: 0044 20 7972 5644 Fax: 0044 20 7972 5670
E-mail: Peter.Greenaway@doh.gsi.gov.uk

Dr James Hughes, Director, National Center for Infectious Diseases, Centers for Disease Control and Prevention, M/S C12, Building 1, Room 613, 1600 Clifton Road, Atlanta, GA 30333, USA
Tel: 001 404 639 3401 Fax: 001 404 639 3039 E-mail: jmh2@cdc.gov

Dr Ichiro Kurane, Director, Department of Virology, National Institute of Infectious Diseases, 1-23-1, Toyama, Shinjuku-ku, Tokyo 162-8640, Japan
Tel: 0081 35 285 1111 Fax: 0081 35 285 1169 E-mail: kurane@nih.go.jp

**Unable to attend*

Dr André D. Plantinga, Head of the Laboratory for Clinical Vaccine Research, Sector Vaccines (S1), WHO Collaborating Centre for Smallpox Vaccine, National Institute of Public Health and the Environment (RIVM), P.O. Box 1, Antoine van Leeuwenhoeklaan 9, NL-3720 BA Bilthoven, Netherlands
Tel: 0031 30 274 2349 Fax: 0031 30 274 4430 E-mail: andre.plantinga@rivm.nl

Professor Lev S. Sandakhchiev, Director General, State Research Center of Virology and Biotechnology, VECTOR, 630559 Koltsovo, Novosibirsk Region, Russian Federation
Tel: 007 3832 366010 Fax: 007 3832 367409 E-mail: lev@vector.nsc.ru

Dr Hermann Schatzmayr, Head, Virology Department, Instituto Oswaldo Cruz, Fiocruz, Avenida Brasil 4365, Manguinhos, Rio de Janeiro 21040-360, Brazil
Tel: 0055 21 598 4274 Fax: 0055 21 270 6397 E-mail: hermann@osite.com.br or hermann@ioc.fiocruz.br

Dr Robert Snoeck*, Senior Research Assistant, Katholieke Universiteit Leuven, Rega Institute, Minderbroedersstraat 10, B-3000 Leuven, Belgium
Tel: 0032 16 3373 95 Fax: 0032 16 3373 40
E-mail: robert.snoeck@rega.kuleuven.ac.be

Professor Robert Swanepoel, Special Pathogens Unit, National Institute for Virology, Private Bag X4, Sandringham 2131, South Africa
Tel: 0027 11 321 4200 Fax: 0027 11 882 3741 E-mail: bobs@niv.ac.za

Professor Muyembe Tamfum, Director, Institut National de Recherche Bio-Médicale (INRB), Avenue des Huileries, Kinshasa/Gombe B.P. 1197 Kinshasa 1, République Démocratique du Congo
Tel: 00243 88 45349 E-mail: inrb-congo@maf.org

Professor Dr Prasert Thongcharoen, Division of Virology, Department of Microbiology, Faculty of Medicine Siriraj Hospital, Mahidol University, 2 Prannok Road, Bangkok 10700, Thailand
Tel: 0066 2 411 0263 or 0066 2 419 7067 Fax: 0066 2 418 4148
E-mail: siptc@mahidol.ac.th

Dr Henda Triki, Chief, Laboratory of Clinical Virology, Institut Pasteur de Tunis, 13, Place Pasteur, B.P. 74, 1002 Tunis Belvedere, Tunisia
Tel: 00216 1 783 022 Fax: 00216 1 791 833 E-mail: henda.triki@pasteur.ms.tn

Dr Lynne Ridler-Wall*, ADR (CBD), Room 5/63 Metropole Building, Northumberland Avenue, London SW1A 2HB, United Kingdom
Tel: 0044 20 7218 1881 Fax: 0044 20 7218 6481 E-mail: lwall.dgrt@gtnet.gov.uk

Dr Zhi-Yi Xu, Senior Scientist, International Vaccine Institute, Kwanak P. O. Box 14, Seoul, South Korea 151-600, Republic of Korea
Tel: 0082 2 8722 801 Fax: 0082 2 8722 803 E-mail: xuzhiyi@ivi.int

*Unable to attend

Advisers to the Committee

Dr Antonio Alcami, Wellcome Trust Senior Research Fellow, Department of Pathology, University of Cambridge, Tennis Court Road, Cambridge CB2 1QP
United Kingdom
Tel: 0044 12 2333 6922 Fax: 0044 12 2333 6926 E-mail: aa258@mole.bio.cam.ac.uk

Dr Inger K. Damon, Poxvirus Section, Viral Exanthems and Herpesvirus Branch/DVRD/NCID, Centers for Disease Control and Prevention, M/S G-18, Building 7 Room 340, 1600 Clifton Road, Atlanta, Georgia 30333, USA
Tel: 001 404 639 4931 Fax: 001 404 639 3111 E-mail: iad7@cdc.gov

Dr Joseph J. Esposito, Research Coordinator, Biotechnology Core Facility Branch, Centers for Disease Control and Prevention, Building 3, Room SB14, 1600 Clifton Road, Atlanta, Georgia 30333, USA
Tel: 001 404 639 2184 Fax: 001 404 639 1331 E-mail: jjel@cdc.gov

Dr John W. Huggins, Chief, Department of Viral Therapeutics, Virology Division, U.S. Army Medical Research Institute of Infectious Diseases (USAMRIID), 1425 Porter Street, Fort Detrick, Maryland 21702-5011, USA
Tel: 001 301 619 4837 Fax: 001 301 619 4625 E-mail: huggins@ncifcrf.gov

Dr Peter B. Jahrling, Senior Research Scientist, U.S. Army Medical Research Institute of Infectious Diseases (USAMRIID), Headquarters, 1425 Porter Street, Fort Detrick, Maryland 21702-5011, USA
Tel: 001 301 619 2772 or 4608 Fax: 001 301 619 4625
E-mail: Peter.Jahrling@det.amedd.army.mil

Dr Brian Mahy, Scientific Research Advisor, National Center for Infectious Diseases, Centers for Disease Control and Prevention, M/S C12, 1600 Clifton Road, Atlanta, Georgia 30333, USA
Tel: 001 404 639 2915 Fax: 001 404 639 3039 E-mail: bxml@cdc.gov

Dr Michael Merchlinsky, Senior Investigator, Food and Drug Administration (FDA), Office of Vaccines Research and Review, Division of Viral Products/Laboratory of DNA Viruses, CBER, 1401 Rockville Pike, HFM-457, Rockville, Maryland 20850, USA
Tel: 001 301 827 2934 Fax: 001 301 480 1597 E-mail: merchlinsky@cber.fda.gov

Professor Sergei N. Shchelkunov, Head, Department of Molecular Biology of Genomes, State Research Center of Virology and Biotechnology, VECTOR, 630559 Koltsovo, Novosibirsk Region, Russian Federation
Tel: 007 3832 366428 Fax: 007 3832 367409 E-mail: snshchel@vector.nsk.ru

Professor Geoffrey L. Smith, Wellcome Trust Principal Research Fellow, Professor of Virology, Wright Fleming Institute, Imperial College of Medicine, St. Mary's Campus, Norfolk Place, London W2 1PG, United Kingdom
Tel: 0044 20 7594 3971 Fax: 0044 20 7594 3973 E-mail: glsmith@ic.ac.uk

**Unable to attend*

Dr David Ulaeto, Scientific Leader, DERA-CBD, Biomedical Sciences, Porton Down, Salisbury Wilshire SP4 0JQ, United Kingdom
Tel: 0044 19 8061 3898 or 8061 3888 Fax: 0044 19 8061 3284
E-mail: dulaeto@dstl.gov.uk

Observers

Dr Evgeny Belanov, Chief of General Virology Laboratory, State Research Center of Virology and Biotechnology, VECTOR, 630559 Koltsovo, Novosibirsk Region, Russian Federation
Tel: 007 3832 367409 Fax: 007 3832 366010 E-mail: vector@vector.nsk.ru

Dr Peter D. E. Biggins, Head of IRS, DERA -CBD, CB Systems, Porton Down, Salisbury Wilshire SP4 0JQ, United Kingdom
Tel: 0044 1980 613 395 Fax: 0044 1980 613 987 E-mail: pdebiggins@dstl.gov.uk

Mr Sergey Bychkov, Mission of the Russian Federation, Permanent Mission of the Russian Federation to the United Nations Office and other International Organisations at Geneva, Avenue de la Paix 15, 1211 Genève 20, Switzerland
Tel: 0041 22 733 18 70 Fax: 0041 22 734 40 44 E-mail: mission.russian@ties.itu.int

Dr Mark Challberg, Program Officer, Virology Branch, Division of Microbiology and Infectious Diseases, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Room 3217, 6700-B Rockledge Drive, Bethesda, Maryland 20892-7630, USA
Tel: 301 402 8668 E-mail: mc37e@nih.gov

Dr Nikolay Fetisov, Counsellor Permanent, Mission of the Russia Federation, Permanent Mission of the Russian Federation to the United Nations Office and other International Organisations at Geneva, Avenue de la Paix 15, 1211 Genève 20, Switzerland
Tel: 0041 22 733 18 70 Fax: 0041 22 734 40 44 E-mail: mission.russian@ties.itu.int

Dr Lisa E. Hensley, Research Microbiologist, Virology Division, U.S. Army Medical Research Institute of Infectious Diseases (USAMRIID), 1425 Porter Street, Fort Detrick, Maryland 21702, USA
Tel: 001 301 619 4808 E-mail: lisa.hensley@amedd.army.mil

Dr James W. LeDuc, Director, Division of Viral and Rickettsial Diseases, National Center for Infectious Diseases, Centers for Disease Control and Prevention, M/S C12, 1600 Clifton Road, Atlanta, Georgia 30333, USA
Tel: 001 404 639 1336 Fax: 001 404 639 2778 E-mail: jwl3@cdc.gov

Professor Svetlana Marennikova, Chief Research Scientist, State Research Center of Virology and Biotechnology, VECTOR, 630559 Koltsovo, Novosibirsk Region, Russian Federation
Tel: 007 3832 367409 Fax: 007 3832 366010 E-mail: vector@vector.nsk.ru

**Unable to attend*

Dr James Meegan, Program Officer for Acute Viral Diseases, Division of Microbiology and Infectious Diseases, National Institute of Allergy and Infectious Diseases, National Institutes of Health, 6700-B Rockledge Drive, MSC 7630, Bethesda, Maryland 20892-7630, USA
Tel: 001 301 496 7453 Fax: 001 301 480 1594 E-mail: jm75v@nih.gov

Dr Hermann Meyer, Institute of Microbiology, Neuherbergstr. 11, D-80937 Muenchen, Germany
Tel: 0049 89 3168 3910 Fax: 0049 89 3168 3292
E-mail: hermann.meyer@micro.vetmed.uni-muenchen.de

WHO Consultant

Dr Evgeny Tikhomirov, Yazoslavskoye chausse, Building 120, cozo 2 app 216, Moscow 129337, Russian Federation
Tel: 007 95 182 75 78 E-mail: e.tikhomizour@mtu-net.ru

Secretariat

Dr David Heymann, Executive Director EXD/CDS

Dr Guénaél Rodier, Director, CSR

Dr Mike Ryan, Coordinator GAR

Dr Ray Arthur, CSR/GAR

Dr Riccardo Wittek, CSR/GAR

Dr Cathy Roth, CSR/GAR

Dr Roberta Andraghetti, CSR/GAR

Dr Daniel Lavanchy, CSR/LAB

Dr Nicoletta Previsani, CSR/LAB

Dr Mohamed H. Wahdan EMRO